



BUFFER ENRICHED WITH INACTIVE YEAST FOR RUMINANTS

INTENDED USE: It may help microbial growth in rumen and decrease bloat and laminitis risk by keeping rumen pH at the optimum level. It could increase dry matter intake, nutrient utilization efficiency and daily gain, milk yield and milk composition.

USAGE:

Concentrate	3-10 kg/ton	Sheep and Goat	10 g/day
Cattle	50-200 g/day	Lamb and Kid	5 g/day
Calf	15 g/day		

It is used by mixing into the daily feed of animals.

PORTATOX BUFFER				in 10.000 g	
ID No	Active Components	Additive Name	Premix Level	Units	
Elements					
11.4.2	Sodium Bicarbonate(NaHCO3)	Sodium Bicarbonate	5.960.000	mg	
11.2.1	Magnesium Oxide(MgO)	Magnesium Oxide	3.100.000	mg	
Digestive Enhancers					
1.11.7	Yeast	Inactive Yeast Culture <small>(cell wall assist)</small>	100.000	mg	
Carriers					
11.4.2	Sodium Bicarbonate(NaHCO3)	Sodium Bicarbonate	qsp		
11.2.1	Magnesium Oxide(MgO)	Magnesium Oxide	qsp		



PACKAGE FORM				
5 KG BUCKETS	10 KG BUCKETS	10 KG KRAFT BAGS	20 KG BUCKETS	25 KG KRAFT BAGS
		●		●