

MAGNEZYUM OKSİT (MgO)

INTENDED USE: It could be used in fattening and dairy animal fed high concentrate diet to control rumen pH. It may serve as a Mg sources as well. It may decrease acidosis, bloat and laminitis risk and may improve feed intake, daily gain, milk yield and milk quality.

| PORTATOX MAGNESIUM OXIDE | | | | | | | | |
|--------------------------|----------------------|------------------------------|----|-------|----|--|--|--|
| ID No | Active Components | Additive Name Premix Level U | | Units | + | | | |
| 11.2.1 | Magnesium | Magnesium Oxide(MgO) | 40 | % | 10 | | | |
| 11.2.1 | Magnesium Oxide(MgO) | Magnesium Oxide(MgO) | 82 | % | 10 | | | |

USAGE:

| Concentrate | 5 kg/ton | | | | | |
|--|--------------|--|--|--|--|--|
| Cattle | 50-100 g/day | | | | | |
| It is used by mixing into the daily feed of animals. | | | | | | |



| PACKAGE FORM | | | | | | | |
|--------------|---------------|------------------|---------------|------------------|--|--|--|
| 5 KG BUCKETS | 10 KG BUCKETS | 10 KG KRAFT BAGS | 20 KG BUCKETS | 25 KG KRAFT BAGS | | | |
| | | | | | | | |