

portatox

buffer plus

PREMIX ENRICHED WITH BUFFER AND LIVE YEAST CONTENT FOR RUMINANT ANIMALS

INTENDED USE: It helps the increase of population of live organisms in rumens of ruminant animals (cow, heifer, bullock, calf, sheep, goat, lamb, kid). It maintains Rumen pH at optimum level. It helps the increase of milk and fattening performance. Thanks to the yeast and rumen regulators, it regulates the rumen and intestinal microflora. It supports increasing the milk fat of dairy animals. It prevents from laminitis (lameness) caused by the rumen acidosis. By this means, it enhances utilization of the feed. By binding toxins, it protects animals against toxin poisoning.

USAGE: It is used by being mixed to the daily feed of animals (per animal)

Cattle: 200-300g

Sheep&Goat: 20-30g

Calf: 30-50g

Lamb&Kid: 10-15g

| Active ingredients | The Name of Additive | Quantity in Premix | Units |
|--|---|--------------------|--------|
| Macro Minerals / Nutritional Additives | | | |
| Calcium (Ca) | Dicalcium Phosphate | 12.500 | mg/kg |
| Phosphorus (P) | Dicalcium Phosphate | 9.000 | mg/kg |
| Probiotics / Gut Flora Stabilisers / Zootechnical Additives | | | |
| Live Yeast | Saccharomyces Cerevisiae | 9x10 ¹¹ | CFU/kg |
| Prebiotics / Gut Flora Stabilisers / Zootechnical Additives | | | |
| Inactive yeast | Inactive yeast culture | 25.000 | mg/kg |
| Mannan | Cell wall polysaccharides of Saccharomyces Cerevisiae | 4.500 | mg/kg |
| Beta-Glucan | Cell wall polysaccharides of Saccharomyces Cerevisiae | 5.500 | mg/kg |
| Buffer Substances / The Other Zootechnical Additives | | | |
| Potassium Carbonate | Potassium Carbonate | 50.000 | mg/kg |
| Magnesium Oxide | Magnesium Oxide | 307.500 | mg/kg |
| Sodium Bicarbonate (NaHCO ₃) | Sodium Bicarbonate (NaHCO ₃) | 400.000 | mg/kg |
| Toxin Binders / The Other Zootechnical Additives | | | |
| Bentonite/Montmorillonite | Bentonite/Montmorillonite | 30.000 | mg/kg |
| Clinoptilolite (Hydrated calcium aluminosilicate) | Clinoptilolite (Hydrated calcium aluminosilicate) | 15.000 | mg/kg |
| Sepiolite | Sepiolite | 5.000 | mg/kg |
| Carriers | | | |
| Wheat middlings | Wheat middlings | 20.000 | mg/kg |
| Sodium Bicarbonate (NaHCO ₃) | Sodium Bicarbonate (NaHCO ₃) | qsp | |

PACKAGE FORM

| 5 KG BUCKETS | 10 KG BUCKETS | 10 KG KRAFT BAGS | 20 KG BUCKETS | 25 KG OPP BAGS |
|--------------|---------------|------------------|---------------|----------------|
| | | ● | | ● |

