

portamin

beef

VITAMIN- MINERAL PREMIX FOR FATTENING ANIMALS

INTENDED USE: It is used to meet the vitamin and mineral needs of fattening animals. When used regularly, especially for fattening animals, it increases carcass yield and meat quality. It prohibits problems; such as licking wall and eating soil. It enhances utilization of the feed. By binding toxins, it protects animals from toxin poisoning.

USAGE: It is used by being mixed to the daily feed of animals.
(per animal)

Cattle: 50-100g

Sheep&Goat: 15-20g

Calf: 15-25g

Lamb&Kid: 5-10g

PACKAGE FORM

5 KG BUCKETS	10 KG BUCKETS	10 KG KRAFT BAGS	20 KG BUCKETS	25 KG OPP BAGS
●	●		●	●

Active Ingredients	The name of Additive	Quantity in Premix	Units
Vitamins / Nutritional Additives			
Vitamin A	Retinol Acetate	550.000	IU/kg
Vitamin D3	Cholecalciferol	110.000	IU/kg
Vitamin E	Alpha Tocopherol Acetate	250	mg/kg
Vitamin B3	Niacin	200	mg/kg
Toxin Binders / The Other Zootechnical Additives			
Bentonite/Montmorillonite	Bentonite/Montmorillonite	5.000	mg/kg
Clinoptilolite (Hydrated calcium aluminosilicate)	Clinoptilolite (Hydrated calcium aluminosilicate)	4.000	mg/kg
Sepiolite	Sepiolite	1.000	mg/kg
Buffer Substances / The Other Zootechnical Additives			
Magnesium (Mg)	Magnesium oxide	16.000	mg/kg
Sodium bicarbonate (NaHCO ₃)	Sodium bicarbonate (NaHCO ₃)	6.000	mg/kg
Potassium (K)	Potassium carbonate	1.000	mg/kg
Macro and Trace Minerals / Nutritional Additives			
Iron (Fe)	Iron oxide	5.000	mg/kg
Iodine (I)	Calcium iodate	80	mg/kg
Cobalt (Co)	Cobalt sulphate	10	mg/kg
Copper (Cu)	Copper sulphate	1.000	mg/kg
Manganese (Mn)	Manganese sulphate	5.000	mg/kg
Zinc (Zn)	Zinc oxide	5.500	mg/kg
Selenium (Se)	Sodium selenite	10	mg/kg
Sodium (Na)	Sodium chloride	20.900	mg/kg
Calcium (Ca)	Dicalcium phosphate	2.500	mg/kg
Phosphorus (P)	Dicalcium phosphate	1.800	mg/kg
Antioxidants / Technological Additives			
BHA	Butylated Hydroxyanisole	1.000	mg/kg
Carriers			
Calcium carbonate (CaCO ₃)	Calcium carbonate (CaCO ₃)	qsp	

