



LAY REARING CONC RUBY 2,5 %

VITAMIN-MINERAL PREMIX ENRICHED WITH AMINO ACIDS FOR LAY REARING PERIOD (Chicks + pullets until the start of laying period)

INTENDED USE:

It is a special combination of vitamins, trace minerals, enzymes, coccidiostat, amino acids and antioxidants for Chicks + pullets in the lay rearing period. Essential amino acids (lysine, methionine, tryptophan and threonine) in its content provides quick and healthy growth.

Vitamin E and selenium strengthen the immune system and are for good muscle growth. Biotin is for healthy skin and feathers. Vitamin D and optimum combination of calcium and phosphorus are important for stable bones. Phytase provides better utilization of phosphorus, calcium, amino acids and trace minerals. Coccidiostat in its formulation is used to treat coccidiosis.

USAGE:

It is used by being mixed 25 kg per 1 ton complete feed for Chicks + pullets in the lay rearing period.



PACKAGE FORM

| 10 KG OPP BAGS | 20 KG OPP BAGS | 25 KG OPP BAGS |
|----------------|----------------|----------------|
| | | ● |

| Active Ingredient | The name of Additive | Quantity in Premix | Units |
|---|---------------------------|--------------------|--------|
| VITAMINS / NUTRITIONAL ADDITIVES | | | |
| Vitamin A | Retinol Acetate | 450.000 | IU/kg |
| Vitamin D3 | Colecalciferol | 135.000 | IU/kg |
| Vitamin E | Alpha tocopherol acetate | 1.000 | mg/kg |
| Vitamin K3 | Synthetic Menadione | 95 | mg/kg |
| Vitamin B1 | Thiamine | 75 | mg/kg |
| Vitamin B2 | Riboflavin | 250 | mg/kg |
| Vitamin B3 | Niacin | 1.350 | mg/kg |
| Vitamin B5 | Calcium-D-Pantothenate | 430 | mg/kg |
| Vitamin B6 | Pyridoxine | 200 | mg/kg |
| Vitamin B7 | D-Biotin | 5 | mg/kg |
| Vitamin B9 | Folic Acid | 50 | mg/kg |
| Vitamin B12 | Cyanocobalamin | 1.000 | mcg/kg |
| Vitamin C | Ascorbic acid | 3.000 | mg/kg |
| VITAMIN LIKE SUBSTANCES / NUTRITIONAL ADDITIVES | | | |
| Choline Chloride | Choline Chloride | 18.000 | mg/kg |
| TRACE MINERALS / NUTRITIONAL ADDITIVES | | | |
| Iron(Fe) | Iron Sulphate | 2.250 | mg/kg |
| Copper(Cu) | Copper Sulphate | 170 | mg/kg |
| Manganese(Mn) | Manganese Oxide | 2.500 | mg/kg |
| Zinc(Zn) | Zinc oxide | 2.900 | mg/kg |
| Selenium(Se) | Sodium Selenite | 7 | mg/kg |
| Iodine(I) | Calcium Iodate | 30 | mg/kg |
| ENZYMES / DIGESTIBILITY ENHANCERS / ZOOTECHNICAL ADDITIVES | | | |
| Phytase enzyme | 6-phytase | 20.000 | FTU/kg |
| Multienzyme | Multienzyme | 60.000 | EPU/kg |
| COCCIDIOSTATS(in the first 12 weeks of life) | | | |
| Salinomycin sodium | Salinomycin sodium | 2.400 | mg/kg |
| TOXIN BINDERS / TECHNOLOGICAL ADDITIVES | | | |
| Toxin binders | Toxin binders | 40.000 | mg/kg |
| ANTIOXIDANTS / TECHNOLOGICAL ADDITIVES | | | |
| BHA | Butylated Hydroxy Anisole | 200 | mg/kg |
| BHT | Butylated Hydroxy Toluene | 800 | mg/kg |
| Propyl gallate | Propyl gallate | 15 | mg/kg |
| GROWTH PROMOTERS / PRESERVATIVES / TECHNOLOGICAL ADDITIVES | | | |
| Growth promoters | Growth promoters | 17.500 | mg/kg |
| ANALYTICAL COMPONENTS | | | |
| Crude Protein | | 20,00 | % |
| Crude Ash | | 78,07 | % |
| Calcium | | 10,98 | % |
| Phosphorous digestible poultry | | 8,96 | % |
| Sodium Chloride | | 5,74 | % |
| | | 6,60 | % |
| Lysine Digestible poultry | | 1,83 | % |
| Methionine Digestible poultry | | 9,41 | % |
| Methionine + Cystine Digestible poultry | | 9,41 | % |
| Threonine Digestible poultry | | 1,96 | % |
| Tryptophane Digestible poultry | | 0,47 | % |